

03

SOCKETS & ACCESSORIES

ALL SP TOOLS SOCKETS AND ACCESSORIES ARE MANUFACTURED FROM HIGH GRADE CHROME VANADIUM STEEL AND EXCEED INTERNATIONAL DIN AND ANSI STANDARDS. DESIGNED TO WITHSTAND THE RIGOURS OF INDUSTRIAL AND TRADE USE.

DIN

ANSI

FLAT DRIVE TECHNOLOGY


FLAT DRIVE TECHNOLOGY MAXIMISES CONTACT ON THE FLAT SIDES OF THE BOLT OR NUT, NOT THE POINTS.



SP RATCHETS

- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible ratchet head
- Quick socket release mechanism
- Manufactured from high grade Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish - Ideal for easy clean up
- Meets & exceeds international ANSI & DIN standard





SUB-CATEGORIES:

MULTI DRIVE SOCKET SETS	142
MULTI DRIVE EXTENSION BARS (WOBBLE)	142
1/4"DR SOCKET SETS	144
3/8"DR SOCKET SETS	147
1/2"DR SOCKET SETS	150
3/4"DR SOCKET SETS	152
MOBILE SOCKET SETS	153
SOCKET RAIL SETS	154
SOCKET RAIL SETS - NO SOCKETS	159
1/4"DR INDIVIDUAL SOCKETS & ACCESSORIES	160
3/8"DR INDIVIDUAL SOCKETS & ACCESSORIES	164
1/2"DR INDIVIDUAL SOCKETS & ACCESSORIES	170
3/4"DR INDIVIDUAL SOCKETS & ACCESSORIES	176

MULTI DRIVE

SOCKET SETS & ACCESSORIES

MULTI DRIVE EXTENSION BARS

SP20988

1/4", 3/8" & 1/2"DR WOBBLE EXTENSION BAR SET

9 PIECE

CONTENTS

1/4"DR WOBBLE EXTENSION BARS

- 50, 100 & 250mm

3/8"DR WOBBLE EXTENSION BARS

- 50, 100 & 250mm

1/2"DR WOBBLE EXTENSION BARS

- 50, 100 & 250mm



- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Wobble end allows for angled reach to awkward nuts and bolts
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish

T-HANDLE SOCKETS



SP20800

T-HANDLE SOCKET SET

9 PIECE

CONTENTS

T-HANDLE SOCKETS

- 8, 9, 10, 11, 12, 13, 14, 17 & 19mm



- T-handle with Ball end - Ideal for hard to reach sockets
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish

ALSO AVAILABLE INDIVIDUALLY

SIZE	LENGTH	MODEL
8mm	130(W) x 300(L) mm	SP20808
9mm	130(W) x 300(L) mm	SP20809
10mm	130(W) x 300(L) mm	SP20810
11mm	130(W) x 300(L) mm	SP20811
12mm	200(W) x 300(L) mm	SP20812
13mm	200(W) x 300(L) mm	SP20813
14mm	200(W) x 300(L) mm	SP20814
17mm	200(W) x 300(L) mm	SP20817
19mm	200(W) x 300(L) mm	SP20819

> MOBILE SOCKET SETS

- Ideal for mobile applications
- Flat drive technology offers maximum contact and grip
- Tough triple chrome, high polish finishes provide for an easy clean-up
- Twin knurling on sockets allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

MOBILE SOCKET SETS

SP20306

1/2"DR SOCKET SET IN X-CASE METRIC/INCH 26 PIECE

CONTENTS

1/2"DR SOCKETS & ACCESSORIES

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm
- 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1"
- 45T Ratchet
- Flex Handle - 200mm
- Wobble Extension Bars - 125 & 250mm
- Spark Plug Sockets - 5/8 & 13/16"

12
Point



EXTREME DUTY X-CASE FEATURES

- Impact resistant
- Super wide front latches
- Strengthened heavy duty hinges
- Keeps your tool organised and easy to find



SP20601

1/4" & 3/8"DR SOCKET SET IN X-CASE METRIC/INCH 42 PIECE

CONTENTS

1/4"Dr 12pt Sockets & Accessories

- 4, 5, 6, 7, 8, 9 & 10mm
- 3/16, 7/32, 1/4, 9/32, 5/16, 11/32 & 3/8"
- 45T Ratchet
- Wobble Extension Bars - 50 & 150mm

3/8"Dr 12pt Sockets & Accessories

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4"
- 45T Ratchet
- Flex Handle
- Wobble Extension Bars - 75 & 150mm
- Universal Joint
- Spark Plug Sockets - 5/8 & 13/16"
- Adaptor 3/8Fx1/4M

12
Point

> SOCKET RAILS

FEATURES:

- Tough triple chrome, high polish finishes provide for an easy clean-up
- Twin knurling on sockets allows for improved grip, especially useful in oily/greasy conditions
- Socket set comes with a rail for better organisation
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard



MULTI DRIVE SOCKET RAIL SETS



1/4" & 3/8"DR SOCKET RAIL SET IN HEX - METRIC ONLY 9 PIECE

- 1/4" Dr - 3, 4, 5 & 6mm Sockets
- 3/8" Dr - 6, 7, 8, 9 & 10mm Sockets
- 36mm long
- 1 x Socket Rail

SP20545



1/4" & 3/8"DR SOCKET RAIL SET IN HEX - INCH ONLY 10 PIECE

- 1/4" Dr - 1/8, 5/32, 3/16, 7/32 & 1/4" Sockets
- 3/8" Dr - 3/16, 7/32, 1/4, 5/16 & 3/8" Sockets
- 36mm long
- 1 x Socket Rail

SP20546



1/4" & 3/8"DR SOCKET RAIL SET TORX 11 PIECE

- 1/4" Dr - T10, T15, T20 & T25 Sockets
- 3/8" Dr - T27, T30, T40, T45, T50 & T55 Sockets
- 3/8" F x 1/4" M Adaptor
- 36mm long
- 1 x Socket Rail

SP20440

1/4"DR SOCKET RAIL SETS

- Tough triple chrome, high polish finishes provide for an easy clean-up
- Twin knurling on sockets allows for improved grip, especially useful in oily/greasy conditions
- Socket set comes with a rail for better organisation
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard



1/4"DR SOCKET RAIL SET METRIC ONLY 10 PIECE

- 4, 5, 6, 7, 8, 9, 10, 11, 12 & 13mm Sockets
- 1 x Socket Rail



SP20132

6 POINT



SP20130

12 POINT



1/4"DR SOCKET RAIL SET INCH ONLY 9 PIECE

- 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 & 1/2" Sockets
- 1 x Socket Rail



SP20133

6 POINT



SP20131

12 POINT



1/4"DR DEEP SOCKET RAIL SET METRIC ONLY 10 PIECE

- 4, 5, 6, 7, 8, 9, 10, 11, 12 & 13mm Sockets
- 1 x Socket Rail



SP20140

6 POINT



SP20142

12 POINT



1/4"DR DEEP SOCKET RAIL SET INCH ONLY 9 PIECE

- 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 & 1/2" Sockets
- 1 x Socket Rail



SP20141

6 POINT



SP20143

12 POINT



1/4"DR SOCKET RAIL SET INHEX - METRIC & INCH 9 PIECE

- 3, 4, 5 & 6mm Sockets
- 1/8, 5/32, 3/16, 7/32 & 1/4" Sockets
- 1 x Socket Rail

SP20540

3/8"DR SOCKET RAIL SETS

- Tough triple chrome, high polish finishes provide for an easy clean-up
- Twin knurling on sockets allows for improved grip, especially useful in oily/greasy conditions
- Socket set comes with a rail for better organisation
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard



3/8"DR SOCKET RAIL SET METRIC ONLY 10 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Sockets
- 1 x Socket Rail



SP20232

6 POINT



SP20230

12 POINT



3/8"DR SOCKET RAIL SET INCH ONLY 8 PIECE

- 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4" Sockets
- 1 x Socket Rail



SP20233

6 POINT



SP20231

12 POINT



3/8"DR DEEP SOCKET RAIL SET METRIC ONLY 10 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Sockets
- 1 x Socket Rail



SP20242

6 POINT



SP20240

12 POINT



3/8"DR DEEP SOCKET RAIL SET INCH ONLY 8 PIECE

- 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4" Sockets
- 1 x Socket Rail



SP20243

6 POINT



SP20241

12 POINT

CONTINUED 3/8"DR SOCKET RAIL SETS



3/8"DR SOCKET RAIL SET - INHEX - METRIC 7 PIECE

- 4, 5, 6, 7, 8, 9 & 10mm
- 100mm long
- 1 x Socket Rail

SP20547



3/8"DR SOCKET RAIL SET - SPLINE 7 PIECE

- M4, M5, M6, M7, M8, M9 & M10
- 100mm long
- 1 x Socket Rail

SP20544



3/8"DR SOCKET RAIL SET SPLINE - SHORT 7 PIECE

- M4, M5, M6, M7, M8, M9 & M10
- 48mm long
- 1 x Socket Rail

SP20543



3/8"DR SOCKET RAIL SET E-TORX 12 PIECE

- E4, E5, E6, E7, E8, E10, E11, E12, E14, E16, E18 & E20
- 1 x Socket Rail

SP20550



3/8"DR DEEP SOCKET RAIL SET E-TORX 12 PIECE

- E4, E5, E6, E7, E8, E10, E11, E12, E14, E16, E18 & E20
- 1 x Socket Rail

SP20551



3/8"DR SOCKET SET E-TORX & SPANNERS 16 PIECE

- E4, E5, E6, E7, E8, E10, E11, E12, E14, E16, E18 & E20
- Spanners: E6xE8, E10xE12, E14xE16 & E18xE20
- 1 x Socket Rail

SP20210

1/2"DR SOCKET RAIL SETS



1/2"DR SOCKET RAIL SET METRIC ONLY 12 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 & 24mm Sockets
- 1 x Socket Rail



SP20332

6 POINT



SP20330

12 POINT



1/2"DR SOCKET RAIL SET INCH ONLY 11 PIECE

- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1" Sockets
- 1 x Socket Rail



SP20333

6 POINT



SP20331

12 POINT



1/2"DR DEEP SOCKET RAIL SET METRIC ONLY 12 PIECE

- 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 & 24mm Sockets
- 1 x Socket Rail



SP20340

12 POINT



1/2"DR DEEP SOCKET RAIL SET INCH ONLY 11 PIECE

- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 & 1" Sockets
- 1 x Socket Rail



SP20341

12 POINT



1/2" DR SHORT SOCKET RAIL SET IN HEX - METRIC ONLY - 7 PIECE

- 6, 7, 8, 10, 12, 14 & 17mm Short (55mm) Sockets
- 1 x Socket Rail

SP20561



1/2" DR SHORT SOCKET RAIL SET IN HEX - INCH ONLY - 9 PIECE

- 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 1/2, 9/16 & 5/8" Short (55mm) Sockets
- 1 x Socket Rail

SP20563

CONTINUED 1/2"DR SOCKET RAIL SETS



1/2"DR SOCKET RAIL SET INHEX/SPLINE - METRIC 13 PIECE

- Inhex Short (55mm) - 6, 7, 8, 10, 12, 14 & 17mm
- Spline Short (55mm) - 6mm
- Inhex Long (140mm) - 8 & 10mm
- Spline Long (100mm) - 8, 10 & 12mm
- 1 x Socket Rail

SP20566



1/2"DR SOCKET RAIL SET - TORX 10 PIECE

- T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 Short (55mm) Sockets
- 1 x Socket Rail

SP20568

SOCKET RAILS

SOCKETS NOT INCLUDED



SOCKET RAIL SPRING LOADED

SOCKETS NOT INCLUDED

- Spring loaded clips hold sockets firmly to rail
- Holds up to 16 sockets

AVAILABLE IN 3 OPTIONS

SIZE	MODEL	CAPACITY
1/4"DR	SP201R	16 SOCKETS
3/8"DR	SP202R	16 SOCKETS
1/2"DR	SP203R	16 SOCKETS

*NOTE: SOCKETS NOT INCLUDED, RAIL ONLY



SOCKET RAIL QUICK LOCK

SOCKETS NOT INCLUDED

- Lock sockets onto rail by turning them to the right - Unlocked by turning to the left
- Holds up to 15 sockets

AVAILABLE IN 2 OPTIONS

SIZE	MODEL	CAPACITY
3/8"DR	SP202RQL	15 SOCKETS
1/2"DR	SP203RQL	15 SOCKETS

*NOTE: SOCKETS NOT INCLUDED, RAIL ONLY



SOCKET RAIL MAGNETIC

SOCKETS NOT INCLUDED

- Ball bearings hold sockets firmly to rail
- Magnetic rail base

AVAILABLE IN 3 OPTIONS

SIZE	MODEL	CAPACITY
1/4"DR	SP201RM	10 SOCKETS
3/8"DR	SP202RM	14 SOCKETS
1/2"DR	SP203RM	16 SOCKETS

*NOTE: SOCKETS NOT INCLUDED, RAIL ONLY

> SOCKETS

INDIVIDUAL

FULL RANGE OF INDIVIDUAL SOCKETS
AND ACCESSORIES AVAILABLE

1/4"DR INDIVIDUAL SOCKETS

1/4"DR SOCKETS METRIC



SIZE	MODEL	MODEL
4mm	SP21504	SP21004
4.5mm	SP21501	
5mm	SP21505	SP21005
5.5mm	SP21502	
6mm	SP21506	SP21006
7mm	SP21507	SP21007
8mm	SP21508	SP21008
9mm	SP21509	SP21009
10mm	SP21510	SP21010
11mm	SP21511	SP21011
12mm	SP21512	SP21012
13mm	SP21513	SP21013
14mm	SP21503	SP21014



1/4"DR SOCKETS INCH



SIZE	MODEL	MODEL
3/16"	SP21551	SP21051
7/32"	SP21552	SP21052
1/4"	SP21553	SP21053
9/32"	SP21554	SP21054
5/16"	SP21555	SP21055
11/32"	SP21556	SP21056
3/8"	SP21557	SP21057
7/16"	SP21558	SP21058
1/2"	SP21559	SP21059



1/4"DR DEEP SOCKETS METRIC



SIZE	MODEL	MODEL
4mm	SP21404	SP21604
5mm	SP21405	SP21605
6mm	SP21406	SP21606
7mm	SP21407	SP21607
8mm	SP21408	SP21608
9mm	SP21409	SP21609
10mm	SP21410	SP21610
11mm	SP21411	SP21611
12mm	SP21412	SP21612
13mm	SP21413	SP21613
14mm	SP21414	



1/4"DR DEEP SOCKETS INCH



SIZE	MODEL	MODEL
3/16"	SP21451	SP21651
7/32"	SP21452	SP21652
1/4"	SP21453	SP21653
9/32"	SP21454	SP21654
5/16"	SP21455	SP21655
11/32"	SP21456	SP21656
3/8"	SP21457	SP21657
7/16"	SP21458	SP21658
1/2"	SP21459	SP21659



1/4"DR SOCKETS IN HEX - METRIC



SIZE	MODEL
3mm	SP21203
4mm	SP21204
5mm	SP21205
6mm	SP21206

1/4"DR SOCKETS IN HEX - INCH



SIZE	MODEL
1/8"	SP21251
5/32"	SP21252
3/16"	SP21253
7/32"	SP21254
1/4"	SP21255

1/4"DR INDIVIDUAL SOCKETS

1/4"DR SOCKETS - TORX



SIZE	MODEL
T10	SP21110
T15	SP21115
T20	SP21120
T25	SP21125

1/4"DR SOCKETS - TORX PLUS®



SIZE	MODEL
TP10	SP21130
TP15	SP21135
TP20	SP21140
TP25	SP21145

1/4"DR SOCKETS - TORX SLOTTED®



SIZE	MODEL
TS10	SP21150
TS15	SP21155
TS20	SP21160
TS25	SP21165

1/4"DR EXTENSION BARS & UNIVERSAL JOINTS



1/4"DR WOBBLE EXTENSION BAR SET 3 PIECE

- 3 sizes included: 50mm, 150mm & 250mm
- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Wobble end allows for angled reach to awkward nuts and bolts
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish

SP21330



1/4"DR WOBBLE EXTENSION BARS INDIVIDUAL

LENGTH	MODEL
50mm	SP21335
100mm	SP21334
150mm	SP21336
250mm	SP21337

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Wobble end allows for angled reach to awkward nuts and bolts
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish



1/4"DR STRAIGHT EXTENSION BARS INDIVIDUAL

LENGTH	MODEL
50mm	SP21315
100mm	SP21316
150mm	SP21317

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish



1/4"DR UNIVERSAL JOINT

- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish

SP21320

1/4"DR RATCHETS

1/4"DR RATCHET PROFESSIONAL 45 TEETH

- Comfort grip handle
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible
- Socket quick release mechanism

SP21305

1/4"DR RATCHET COMPACT HEAD 60 TEETH

- Steel handle - one piece
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible
- Socket quick release mechanism

SP21392

1/4"DR RATCHET ROUND HEAD PRECISION 144 TEETH

- Steel handle - one piece
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible
- Socket quick release mechanism

SP21309

1/4"DR RATCHET SWIVEL HEAD 72 TEETH

- Comfort grip handle
- 180° swivel head for access to awkward areas
- Strengthened ratchet gear teeth
- Reversible
- Socket quick release mechanism

SP21306

1/4"DR RATCHET FLEX HEAD 72 TEETH

- Steel handle - one piece
- Automatic locking flex head allows user to turn ratchet in tighter confines
- Reversible
- Socket quick release mechanism

SP21300

1/4"DR RATCHET FLEX HEAD - STUBBY 43 TEETH

- Steel handle - one piece
- Auto locking flex head allows user to turn ratchet in tighter confines
- Finder grip on ratchet head for precision turning
- Reversible
- Socket quick release mechanism

SP21302

1/4"DR FLEX HANDLES



1/4"DR FLEX HANDLE STEEL HANDLE

- Length: 145mm
- Hinged joint head
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

SP21311



1/4"DR FLEX HANDLE COMFORT GRIP

- Length: 145mm
- Hinged joint head
- Soft grip handle
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

SP21310

1/4"DR SLIDING T-BARS



1/4"DR WOBBLE SLIDING T-BAR LONG

- Length: 200mm
- Sliding T-Handle
- Wobble end allows for angled reach to awkward nuts and bolts
- Chrome Vanadium Steel (Cr-V) for high durability

SP21328

3/8"DR INDIVIDUAL SOCKETS

3/8"DR SOCKETS METRIC



SIZE	MODEL	MODEL
6mm	SP22506	SP22006
7mm	SP22507	SP22007
8mm	SP22508	SP22008
9mm	SP22509	SP22009
10mm	SP22510	SP22010
11mm	SP22511	SP22011
12mm	SP22512	SP22012
13mm	SP22513	SP22013
14mm	SP22514	SP22014
15mm	SP22515	SP22015
16mm	SP22516	SP22016
17mm	SP22517	SP22017
18mm	SP22518	SP22018
19mm	SP22519	SP22019
20mm	SP22520	SP22020
21mm	SP22521	SP22021
22mm	SP22522	SP22022



3/8"DR SOCKETS INCH



SIZE	MODEL	MODEL
1/4"	SP22551	SP22051
5/16"	SP22552	SP22052
3/8"	SP22553	SP22053
7/16"	SP22554	SP22054
1/2"	SP22555	SP22055
9/16"	SP22556	SP22056
5/8"	SP22557	SP22057
11/16"	SP22558	SP22058
3/4"	SP22559	SP22059
13/16"	SP22560	SP22060
7/8"	SP22561	SP22061



3/8"DR DEEP SOCKETS METRIC



SIZE	MODEL	MODEL
8mm	SP22608	N/A
10mm	SP22610	SP22410
11mm	SP22611	SP22411
12mm	SP22612	SP22412
13mm	SP22613	SP22413
14mm	SP22614	SP22414
15mm	SP22615	SP22415
16mm	SP22616	SP22416
17mm	SP22617	SP22417
18mm	SP22618	SP22418
19mm	SP22619	SP22419



3/8"DR DEEP SOCKETS INCH



SIZE	MODEL	MODEL
5/16"	SP22651	SP22451
3/8"	SP22652	SP22452
7/16"	SP22653	SP22453
1/2"	SP22654	SP22454
9/16"	SP22655	SP22455
5/8"	SP22656	SP22456
11/16"	SP22657	SP22457
3/4"	SP22658	SP22458



3/8"DR INDIVIDUAL SOCKETS

3/8"DR SOCKETS IN HEX - METRIC



SIZE	MODEL
6mm	SP22206
7mm	SP22207
8mm	SP22208
9mm	SP22209
10mm	SP22210

3/8"DR SOCKETS IN HEX - INCH



SIZE	MODEL
3/16"	SP22251
7/32"	SP22252
1/4"	SP22253
5/16"	SP22254
3/8"	SP22255

3/8"DR SOCKETS - TORX



SIZE	MODEL
T27	SP22127
T30	SP22130
T40	SP22140
T45	SP22145
T50	SP22150
T55	SP22155

3/8"DR SOCKETS - TORX-PLUS®



SIZE	MODEL
TP27	SP22156
TP30	SP22157
TP40	SP22158
TP45	SP22159
TP50	SP22160
TP55	SP22161

3/8"DR SOCKETS - TORX-SLOTTED®



SIZE	MODEL
TS27	SP22120
TS30	SP22121
TS40	SP22122
TS45	SP22123
TS50	SP22124
TS55	SP22125

3/8"DR SOCKETS - SPLINE®



SIZE	MODEL
4MM	SP22104
5MM	SP22105
6MM	SP22106
8MM	SP22108

3/8"DR SOCKETS E-TORX



SIZE	MODEL
E4	SP22164
E5	SP22165
E6	SP22166
E7	SP22167
E8	SP22168
E10	SP22170
E11	SP22171
E12	SP22172
E14	SP22174
E16	SP22176
E18	SP22178
E20	SP22180

3/8"DR INDIVIDUAL SOCKETS CONTINUED

3/8"DR SOCKETS SPARK PLUG



METRIC



SIZE	MODEL
16mm	SP22494
21mm	SP22496

INCH



SIZE	MODEL
5/8"	SP22491
13/16"	SP22492

- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish

3/8"DR SOCKETS SPARK PLUG MAGNETIC



METRIC



SIZE	MODEL
14mm	SP22484
16mm	SP22485

- Built-in strong magnetic insert ensures the spark plug stays in the socket and doesn't fall out
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish

3/8"DR SPARK PLUG SOCKETS EXTRA LONG MAGNETIC



METRIC



SIZE	MODEL
14mm	SP22487
16mm	SP22488

- Extra long shaft - 250mm
- Built-in strong magnetic insert ensures the spark plug stays in the socket and doesn't fall out
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish



3/8"DR SPARK PLUG SOCKET SET MAGNETIC - SPLINE 3 PIECE



- Set includes 3 sizes: 14mm, 16mm & 21mm (9/16", 5/8" & 13/16")
- 15° universal offset extension bars
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

SP22499



3/8"DR SPARK PLUG SOCKETS MAGNETIC - SPLINE INDIVIDUAL



LENGTH	MODEL
14mm	SP22490
16mm	SP22493
21mm	SP22495

- Set includes 3 sizes: 14mm, 16mm & 21mm
- 15° universal offset extension bars
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

3/8"DR EXTENSION BARS



3/8"DR WOBBLE EXTENSION BAR SET

3 PIECE

- 3 sizes included: 75mm, 150mm & 250mm
- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Wobble end allows for angled reach to awkward nuts and bolts
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish

SP22330



3/8"DR WOBBLE EXTENSION BARS

INDIVIDUAL

LENGTH	MODEL
75mm	SP22335
150mm	SP22336
250mm	SP22337

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Wobble end allows for angled reach to awkward nuts and bolts
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish



3/8"DR EXTENSION BARS

INDIVIDUAL

LENGTH	MODEL
75mm	SP22315
100mm	SP22317
250mm	SP22316

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish

3/8"DR UNIVERSAL JOINTS & ADAPTERS

3/8"DR UNIVERSAL JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish

SP22320

3/8"DR ADAPTOR



SIZE	MODEL
1/4" M	SP22325
1/2" M	SP22326

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Vanadium Steel (Cr-V) for high durability

3/8"DR RATCHETS

3/8"DR RATCHET PROFESSIONAL 45 TEETH

- Comfort grip handle
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible
- Socket quick release mechanism

SP22305

3/8"DR RATCHET COMPACT HEAD 60 TEETH

- Steel handle - one piece
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible
- Socket quick release mechanism

SP22392

3/8"DR RATCHET ROUND HEAD PRECISION 144 TEETH

- Steel handle - one piece
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible
- Socket quick release mechanism

SP22309

3/8"DR RATCHET SWIVEL HEAD (STUBBY) 72 TEETH

- Comfort grip handle
- 180° swivel head for access to awkward areas
- Strengthened ratchet gear teeth
- Reversible
- Socket quick release mechanism

SP22307

3/8"DR RATCHET FLEX HEAD 72 TEETH

- Steel handle - one piece
- Automatic locking flex head allows user to turn ratchet in tighter confines
- Reversible
- Socket quick release mechanism

SP22300

3/8"DR RATCHET FLEX HEAD - STUBBY 45 TEETH

- Steel handle - one piece
- Auto locking flex head allows user to turn ratchet in tighter confines
- Finder grip on ratchet head for precision turning
- Reversible
- Socket quick release mechanism

SP22302

3/8"DR FLEX HANDLES



3/8"DR FLEX HANDLE STEEL HANDLE

- Length: 200mm
- Hinged joint head
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

SP22311



3/8"DR FLEX HANDLE COMFORT GRIP

- Length: 200mm
- Hinged joint head
- Soft grip handle
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

SP22310

3/8"DR SLIDING T-BARS



3/8"DR WOBBLE SLIDING T-BAR LONG

- Length: 250mm
- Sliding T-Handle
- Wobble end allows for angled reach to awkward nuts and bolts
- Chrome Vanadium Steel (Cr-V) for high durability

SP22328

1/2"DR INDIVIDUAL SOCKETS

1/2"DR SOCKETS METRIC



SIZE	6 Point 12 Point	
	MODEL	MODEL
10mm	SP23510	SP23010
11mm	SP23511	SP23011
12mm	SP23512	SP23012
13mm	SP23513	SP23013
14mm	SP23514	SP23014
15mm	SP23515	SP23015
16mm	SP23516	SP23016
17mm	SP23517	SP23017
18mm	SP23518	SP23018
19mm	SP23519	SP23019
20mm	SP23520	SP23020
21mm	SP23521	SP23021
22mm	SP23522	SP23022
23mm	SP23523	SP23023
24mm	SP23524	SP23024
25mm	SP23525	SP23025
26mm	SP23526	SP23026
27mm	SP23527	SP23027
30mm	SP23530	SP23030
32mm	SP23532	SP23032
36mm	SP23536	

1/2"DR SOCKETS INCH



SIZE	6 Point 12 Point	
	MODEL	MODEL
3/8"	SP23553	SP23053
7/16"	SP23554	SP23054
1/2"	SP23555	SP23055
9/16"	SP23556	SP23056
5/8"	SP23557	SP23057
11/16"	SP23558	SP23058
3/4"	SP23559	SP23059
13/16"	SP23560	SP23060
7/8"	SP23561	SP23061
5/16"	SP23562	SP23062
1"	SP23563	SP23063
1-1/16"	SP23564	SP23064
1-1/8"	SP23565	SP23065
1-3/16"	SP23566	SP23066
1-1/4"	SP23567	SP23067

1/2"DR DEEP SOCKETS METRIC



SIZE	MODEL	12 Point
10mm	SP23410	
11mm	SP23411	
12mm	SP23412	
13mm	SP23413	
14mm	SP23414	
15mm	SP23415	
16mm	SP23416	
17mm	SP23417	
18mm	SP23418	
19mm	SP23419	
21mm	SP23421	
22mm	SP23422	
24mm	SP23424	

1/2"DR DEEP SOCKETS INCH



SIZE	MODEL	12 Point
3/8"	SP23453	
7/16"	SP23454	
1/2"	SP23455	
9/16"	SP23456	
5/8"	SP23457	
11/16"	SP23458	
3/4"	SP23459	
13/16"	SP23460	
7/8"	SP23461	
15/16"	SP23462	
1"	SP23463	

CONTINUED

1/2"DR INDIVIDUAL SOCKETS

1/2"DR SOCKETS INHEX - METRIC



SIZE	MODEL
6mm	SP23206
7mm	SP23207
8mm	SP23208
10mm	SP23210
12mm	SP23212
13mm	SP23213
14mm	SP23214
15mm	SP23215
17mm	SP23217

1/2"DR SOCKETS INHEX - INCH



SIZE	MODEL
3/16"	SP23251
7/32"	SP23252
1/4"	SP23253
9/32"	SP23254
5/16"	SP23255
3/8"	SP23256
1/2"	SP23257
9/16"	SP23258
5/8"	SP23259

1/2"DR SOCKETS INHEX - METRIC LONG (140MM)



SIZE	MODEL
8mm	SP23228
10mm	SP23230
12mm	SP23232
13mm	SP23233
14mm	SP23234
15mm	SP23235
17mm	SP23237

1/2"DR SOCKETS -TORX (55MM)



SIZE	MODEL
T20	SP23120
T25	SP23125
T27	SP23127
T30	SP23130
T40	SP23140
T45	SP23145
T50	SP23150
T55	SP23155
T60	SP23160
T70	SP23170

1/2"DR SOCKETS SPLINE - METRIC (55MM)



SIZE	MODEL
10mm	SP23260
12mm	SP23262
14mm	SP23264
16mm	SP23266



1/2"DR SOCKETS SPLINE - METRIC LONG



SIZE	MODEL
6mm	SP23276
8mm	SP23278
10mm	SP23280
12mm	SP23282



1/2"DR SOCKETS RIBE - METRIC (55MM)



SIZE	MODEL
8mm	SP23288
9mm	SP23289
10mm	SP23290
11mm	SP23291
12mm	SP23292
13mm	SP23293
14mm	SP23294



1/2"DR SOCKETS SPARK PLUG



INCH

SIZE	MODEL
5/8"	SP23491
13/16"	SP23492



1/2"DR EXTENSION BARS



1/2"DR WOBBLE EXTENSION BAR SET 3 PIECE

- 3 sizes included: 125mm, 250mm & 375mm
- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Wobble end allows for angled reach to awkward nuts and bolts
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish

SP23330



1/2"DR WOBBLE EXTENSION BARS INDIVIDUAL

LENGTH	MODEL
125mm	SP23336
250mm	SP23337
375mm	SP23338

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Wobble end allows for angled reach to awkward nuts and bolts
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish



1/2"DR EXTENSION BARS INDIVIDUAL

LENGTH	MODEL
75mm	SP23315
125mm	SP23316
250mm	SP23317

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish

1/2"DR UNIVERSAL JOINTS & ADAPTORS

1/2"DR UNIVERSAL JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish

SP23320

1/2"DR ADAPTOR



SIZE	MODEL
3/8" M	SP23326

- Adaptor allows for sockets from other drives to be used on non-corresponding ratchet handles
- Chrome Vanadium Steel (Cr-V) for high durability

1/2"DR RATCHETS



1/2"DR RATCHET PROFESSIONAL 45 TEETH

- Comfort grip handle
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible
- Socket quick release mechanism


SP23305



1/2"DR RATCHET COMPACT HEAD 60 TEETH

- Steel handle - one piece
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible
- Socket quick release mechanism

SP23392



1/2"DR RATCHET ROUND HEAD PRECISION 144 TEETH

- Steel handle - one piece
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible
- Socket quick release mechanism

SP23309



1/2"DR RATCHET SWIVEL HEAD 72 TEETH

- Comfort grip handle
- 180° swivel head for access to awkward areas
- Strengthened ratchet gear teeth
- Reversible
- Socket quick release mechanism

SP23306



1/2"DR RATCHET FLEX HEAD 72 TEETH

- Steel handle - one piece
- Automatic locking flex head allows user to turn ratchet in tighter confines
- Reversible
- Socket quick release mechanism

SP23300



1/2"DR RATCHET FLEX HEAD - STUBBY 45 TEETH

- Steel handle - one piece
- Auto locking flex head allows user to turn ratchet in tighter confines
- Finder grip on ratchet head for precision turning
- Reversible
- Socket quick release mechanism

SP23302

1/2"DR RATCHETS


CONTINUED

1/2"DR RATCHET

**PROFESSIONAL EXTRA LONG - 500MM
45 TEETH**

- Comfort grip handle
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- 500mm Extra long shaft for access into hard to reach areas as well as extra leverage if needed
- Reversible
- Socket quick release mechanism
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish
- Meets & exceeds international ANSI & DIN standard

SP23308



1/2"DR FLEX HANDLES

1/2"DR FLEX HANDLE STEEL HANDLE

- Length: 380mm
- Hinged joint head
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

SP23398



1/2"DR FLEX HANDLE COMFORT GRIP

- Available in 250mm & 375mm
- Hinged joint head
- Soft grip handle
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

LENGTH	MODEL
250mm	SP23310
375mm	SP23312



1/2"DR FLEX HANDLE EXTRA LONG STEEL HANDLE

- Available in 2 Lengths - 450mm and 600mm
- Hinged joint head
- Extra long shaft for access into hard to reach areas as well as extra leverage if needed
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish
- Meets & exceeds international ANSI & DIN standard

LENGTH	MODEL
600mm	SP23319



SP RATCHETS



- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Reversible ratchet head
- Quick socket release mechanism
- Manufactured from high grade Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish - Ideal for easy clean up
- Meets & exceeds international ANSI & DIN standard

3/4"DR INDIVIDUAL SOCKETS

3/4"DR SOCKETS METRIC



SIZE	MODEL
19mm	SP24019
22mm	SP24022
24mm	SP24024
27mm	SP24027
30mm	SP24030
32mm	SP24032
36mm	SP24036
38mm	SP24038
41mm	SP24041
46mm	SP24046
50mm	SP24050
55mm	SP24055

3/4"DR EXTENSION BARS



3/4"DR EXTENSION BARS INDIVIDUAL

LENGTH	MODEL
200mm	SP24315
400mm	SP24316

- Extensions are extremely useful for reaching and accessing hard to reach nuts and bolts in engine bays
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Tough triple chrome finish

3/4"DR UNIVERSAL JOINT

3/4"DR UNIVERSAL JOINT



- Flexible Joint - Ideal for accessing hard to reach nuts and bolts
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard
- Tough triple chrome finish

SP24320

3/4"DR RATCHETS & FLEX HANDLES



3/4"DR RATCHET

**JUMBO
24 TEETH**

- Steel handle
- Specially strengthened ratchet gear teeth to sustain maximum applied torque
- Detachable Handle - Extension handle available (SP24325) for where extra leverage is needed
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Reversible
- Socket quick release mechanism
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

SP24305

**DETACHABLE RATCHET HEAD
EXTENSION HANDLE AVAILABLE FOR
WHERE EXTRA LEVERAGE IS NEEDED**



3/4"DR FLEX HANDLE

**JUMBO - 475MM
STEEL HANDLE**

- Steel handle
- Hinged joint head
- 475mm long
- Detachable Handle - Extension handle available (SP24325) for where extra leverage is needed
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

SP24310

**DETACHABLE FLEX HEAD
EXTENSION HANDLE AVAILABLE FOR
WHERE EXTRA LEVERAGE IS NEEDED**



**EXTENDABLE
450mm to 750mm**

**ADD EXTRA LEVERAGE TO YOUR
3/4" RATCHET OR FLEX HANDLE**

3/4"DR EXTENSION HANDLE

**JUMBO
STEEL HANDLE**

- Steel handle
- Extension from 450mm to 750mm
- Telescopic extension handle suitable for use with SP 3/4"Dr Ratchet (SP24305) & 3/4"Dr Flex Handle (SP24310)
- Knurling on bars allows for improved grip, especially useful in oily/greasy conditions
- Chrome Vanadium Steel (Cr-V) for high durability
- Meets & exceeds international ANSI & DIN standard

SP24325